River and station	Flood stage	Above flood stages—dates		Crest		
		From-	То	Stage	Date	
ATLANTIC DRAINAGE—continued				Feet		
Altamaha: Charlotte, Ga	15	(1)	8	21. 2	Apr. 26.	
Charlotte, GaEverett City, GaOcmulgee:	10	8	15	12. 5	May 2-4.	
Abbeville, Ga Lumber City, Ga	11 15	(1)	4	14. 9 17. 9	Apr. 29. Apr. 25.	
EAST GULF DRAINAGE						
Apalachicola: River Junction, Fla Blountstown, Fla	18 20	(1) (1)	8 5	26. 6 24. 6	Apr. 27. Apr. 28.	
Flint: Albany, Ga	20	(1)	2	29.3	Apr. 24,	
Albany, Ga Bainbridge, Ga Alabama: Selma, Ala	25 35	(1)	(1)4	32, 7 48. 0	Apr. 27. Apr. 27.	
rombigbee: Lock 4, Demopolis,	11	24	24	15. 6	May 24.	
Ala	39	(1)	10	61. 2	May 1.	
Jackson, Miss	20 18	8	8 3	29. 8 22. 9	Apr. 30. Apr. 25.	
West Pearl: Pearl River, La	13	(4)	28	16. 0	Apr. 28.	
MISSISSIPPI DRAINAGE						
Stony Creek: Johnstown, Pa Monongahela:	10	(1)	1	13.0	Apr. 30.	
Lock 7, Greensboro, Pa Lock 4, Pa	30 31	1	1	33. 3 32. 5	May 1. Do.	
Youghiogheny: Confluence, Pa	10 6	(1) 7	1 10	11. 0 6. 0	Apr. 30. May 7-10	
Mississinni:	6	8	8	6.8	May 8.	
Askangan Olfer Ark	48 45	2	11 18	49. 2 46. 9	May 6-7. May 11.	
Vicksburg, Miss Natchez, Miss	40	16	16 16	46. 0 35. 0	May 16.	
Baton Rouge, La	14	(!)	1	16.0	Do. Apr. 16–18.	
ALKAUSOO. I OHOODIII, ALLA	17 29	(1)	18	21. 2 36. 7	Apr. 27. May 3–4.	
White: Georgetown, Ark DeValls Bluff, Ark Clarendon, Ark	22 24 30	(1) (1) (1)	9 10 8	28. 2 27. 9 31. 5	Apr. 28-29. Apr. 30-May : May 3.	
Black: Corning, Ark	11	(1)	7	13. 5	Apr. 24-28.	
Black Rock, Ark	14	(1) 23	26 9	11. 2 24. 9	May 26. Apr. 22.	
Cache: Patterson, Ark	9	(1)	23	14. 3 9. 6	May 23. Apr. 27-29.	
Jaron: Varon City Miss	25 25	(1)	25 19	26. 0 30. 6	May 21. May 3-4.	
Pallahatchie: Swan Lake, Miss- sulphur: Ringo Crossing, Tex- by press: Jefferson, Tex-	20 18	17 22	19 24	21. 4 19. 8	May 17. May 22.	
Atchafalaya: Melville, La	37	15	19	37. 2	May 15-17.	
WEST GULF DRAINAGE	• 0E	10	,,	4.05.0	May 10	
Prinity: Dallas, Tex	25	18	18	4 25. 2	May 18.	
San Marcial, N. Mex	3	25 26	25 (2)	4.0 3.1		
Riogrande, Tex	21	28 14	(2) 14	23.8	May 31. May 14.	
San Benito, Tex	23 18	15 17	17 17	23. 7 18. 1	May 16. May 17.	
PACIFIC DEAINAGE						
Colorado: Grand Junction, Colo	11	29	(3)	11.5	May 31.	
Parker, Ariz. Colorado, Roaring Fork: Car-	7	5		10. 5	May 18, 19, 31	
Zagle: Eagle, Colo	5 5	26 26	(3)	6. 1 6. 0	May. 31. Do.	
lunnison:	19	29	(3)	20. 1	Do.	
Sapinero, Colo	9	1 23	14 (2)	11. 0 11. 5	May 3. May 31.	
Junnison, North Fork: Paonia, Colo	9	2	3	9. 6	May 2.	
Freen: Elgin, Utah	12	7 13	12 17	9. 4 12. 5	May 10. May 15.	
Columbia:		28	(2)	13.0	May 31.	
Marcus, Wash	24 25	17 28	(¹) 28	34. 2 25. 1	May 30-31. May 28.	
The Dalles, OregVancouver, Wash	40 15	27 12	000	42. 1 25. 4	May 29. May 31.	
The Dalles, Oreg	26 16	19 17	(3)	30. 0 24. 0	May 28. May 31.	
Clearwater: Kamiah, Idaho	14	8	13	14.9	Мау 9.	
Villamette: Portland, Oreg	15	20 12	(2)	15.7 24.4	May 26. May 31.	

¹ Continued from last month.
2 Continued at end of month.

MEAN LAKE LEVELS DURING MAY, 1928

BY UNITED STATES LAKE SURVEY

[Detroit, Mich., June 4, 1928]

The following data are reported in the Notice to Mariners of the above date:

	Lakes ¹					
Data	Superior	Michigan and Huron	Erie	Ontario		
Mean level during May, 1928:	Feet	Feet	Feet	Feet		
Above mean sea level at New York Above or below—	602. 16	579. 93	572. 07	246. 61		
Mean stage of April, 1928	+0.31	+0.42	+0.29	+0.19		
Mean stage of May, 1927	+0.28	+0.77	+0.11	+0.66		
years	+0.57	±0.00	-0.17	+0.42		
Highest recorded May stage	-0.89	-3.59	-2.35	-2.34		
Lowest recorded May stage Average departure (since 1860) of the May	+1.98	+1.77	+0.90	+1.65		
level from the April level.	+0.31	+0.30	+0.34	+0.34		

¹ Lake St. Clair's level: In May, 1928, 574.55 feet.

EFFECT OF WEATHER ON CROPS AND FARMING OPERATIONS, MAY, 1928

By J. B. KINEER

General summary.—The first decade of May had more favorable weather than had previously prevailed and farming operations made better advance. Less rainfall in the Southeast promoted better germination and growth, and in the Atlantic area, the Ohio Valley, and the Lake region the warmer weather was welcome and more activity in farm work and crop growth was noted. During the first part of the second decade cool weather retarded germination and growth in most sections east of the Mississippi River, but soil moisture was mostly sufficient. To the westward favorable conditions for agricultural activity and crop growth were experienced, but during the latter part of the period there was a need of moisture reported from parts of the northern Great Plains and the Northwest. During the last decade warmer weather was needed generally over most areas east of the Mississippi River and some parts needed rain, although there was generally ample soil moisture. Over the western two-thirds of the country conditions were generally very favorable in most central and southern sections where there was a fairly good supply of soil moisture, but in northern sections a good, general rain was needed over a large area from the upper Mississippi Valley and northwestern Lake region westward to the Pacific Ocean.

Small grains.—The weather was fairly favorable during the first decade in the eastern winter-wheat belt with some slight advance of the remaining crop, while with the warmer weather there was also some improvement indicated in the upper Mississippi Valley. In the Great Plains and westward to the foothills of the Rocky Mountains timely rains and moderate temperatures were of material benefit. During the second decade there was further generous rain in the Southwest and western portions of the belt and soil moisture was generally ample over most western parts. In the eastern portion there was little change noted. During the last decade the weather continued generally favorable over the western portion and some improvement was noted in

⁴ Estimated

Below flood stage at 8 a. m., May 1.